
Monitoring, Modeling, and Regulation for Indoor and Outdoor Exercises

By

Yi Zhang

Submitted to the Faculty of Engineering and Information Technology

in partial fulfillment of the requirements for degree of

Doctor of Philosophy

at the University of Technology, Sydney




April 2013

Certificate of Authorship / Originality

I, Yi Zhang, certify that the work in this thesis has not previously been submitted for a degree, nor has it been submitted as part of the requirements of a degree, except as fully acknowledged within the text.

I also certify that this thesis has been written by me. Any help that I have received in my research work and in the preparation of the thesis itself has been acknowledged. In addition, I certify that all information sources and literature used are indicated in the thesis.

Signature of Candidate:



Date:

25/Jan/2014

Acknowledgments

This doctoral thesis has been developed based on control and modeling for the body's cardiovascular and respiratory responses to exercise, which has provided infrastructure support for cardiorespiratory disease detection and diagnosis, home based rehabilitation monitoring, and exercise strength regulation under free living conditions. And this support is gratefully acknowledged.

I would like to express my thankfulness to all the people who have contributed in one way or another to the work presented in this doctoral thesis. In particular, I would like to mention:

My supervisor Dr. Steven W. Su, for his continuous advice and guidance along the realization of this dissertation. He gave me all of encouragements, supports, and advice in every single moment, something that I will never forget. He knew not only how to awake my interest and eagerness for the research, but also showed me to enjoy it. Those with short or eroded memories will never fade in my lifetime. My sincere acknowledgments and admiration to him.

I also would like thank Dr. Ying Guo and Dr. Branko Celler, of the Australian Commonwealth Scientific and Industrial Research Organisation (CSIRO), Information and Communication Technology (ICT) Centre, for introducing me to the various projects and applications at their research interests in the e-Health area, as well as for offering me the CSIRO ICT Research Top Up Scholarship to encourage me. I greatly appreciate having known and worked with all of you, and I hope this will continue again in the near future.

Dr. Weidong Chen, Professor of the Department of Automation at the Shanghai Jiao Tong University, for his previous fundamental works on the cardiorespiratory system modeling and control. His guidance has contributed significantly to the results in this thesis.

Dr. Hung T. Nguyen, Professor of the University of Technology, Sydney (UTS), for providing me a chance to participate in the Australian ‘2011 three-minute presentation’ at faculty round, and ‘2012 UTS Faculty of Engineering and IT (FEIT) showcase’. Not to mention he always gave the constant support and guidance for my work and helped me get through this thesis on time.

Mr. Jan Szymanski, Engineer at the School of Electrical, Mechanical and Mechatronic Systems of UTS, for introducing me to the various aspects of the hardware designs in microcontroller, as well as for making invaluable comments and options during the study period of hardware implementation.

Thanks to Gunasmin Lye, Phyllis Agius, Craig Shuard, Pym Bains, Juliana Chea, and Racheal Laugery for their constant willingness to help and provide guidance with many formal procedures related to this thesis. The never-ending thesis-related forms, travel documents, human ethics approval documents, and so on, would have taken up many more valuable hours if I were not lucky enough to be able to call or visit you wonderful people when stuck. Not to mention I always enjoyed just dropping in for a chat at the same time.

Also, I would like to thank my colleagues, Azzam Haddad, Mitchell Yuwono, Jordan Nguyen, and Davood Dehestani, as well as all other members at Centre for Health Technologies (CHT) of UTS, for the very hard but also happy moments that we shared during the development of our respective thesis.

To my colleagues in the office at CB01.2015, Kevin Weng, Linda Zhou, Rosemary,

Michael Che, Umar Rashid, and Tao Zhang, I have very much appreciated having known you and working in the same environment as all of you. Each of you are kind-hearted and insanely skilled in various areas, and I wish you all the best.

My sincere acknowledgments go to all of my friends, who are always there to support me the way I am for them. And thanks to them for having kept me sane and contributed largely to the fun I have had over these years in Sydney.

I also want to thank for the support and courage from the UTS librarian gave me constantly. Their help with the, always too bureaucratic, administrative aspects of this work is sincerely appreciated.

And last but not least, I would like to thank my family. My dad has been my lifelong inspiration and mentor, and my mum has always been guiding me. Nothing will ever come between us. My grandparents are always there to encourage me and I only hope to make you proud. I love you all more than words can express and your constant love, support, and guidance over the years have allowed me to become the person I am today.

Abstract

This thesis focuses on the modeling and regulation of exercise intensity by using non-invasive portable sensors. Firstly, an innovative switching Resistance-Capacitor (RC) model has been proposed to depict the dynamics of human cardio-respiratory (CR) responses to the onset and offset of exercise. This switching model utilizes electronic terms with switching mechanism to explicitly depict dynamical characteristics at the onset/offset of exercise and the transition in between. It can not only guarantee the continuity of model output between onset and offset of exercise but also quantify lactate metabolism at onset and offset by using the term ‘oxygen debt’.

Secondly, to effectively regulate human CR responses to exercise, a single-input single-output (SISO) closed-loop control framework is proposed. Within this framework, a control oriented modeling approach using support vector regression (SVR) is presented. Based on that, a novel model predictive control (MPC) algorithm is developed for the regulation of exercise intensity. Simulation study shows the proposed machine learning based model predictive control approach can achieve desired performance requirements for both the onset and offset of exercise and the transitions in between.

The third research topic is related to the monitoring of outdoor exercise. A reliable Android application based monitoring system is developed. This system includes a portable HxMBT HR sensor (Zephyr[®]), an easy-to-use interface, and a supervisory module. This technique is applicable to cardiovascular disease detection and diagnosis, home based rehabilitation monitoring, and exercise strength regulation under free living conditions.

Finally, in order to provide a more reliable automated treadmill system for running exercise, the multi-loop integral controllability (MIC) analysis is introduced, which extends the concept of decentralized integral controllability (DIC) from square systems

to multiple-input single-output (MISO) processes. A condition to ensure MIC for 2ISO is proposed and its sufficiency has been proved by using singular perturbation theory. Then, a sufficient MIC condition for MISO processes is provided.

Table of Contents

1	Introduction	1
1.1	Research Motivation	3
1.2	Aims	6
1.3	Background	10
1.4	Thesis contributions	14
1.5	Publications	18
1.5.1	Book chapters	18
1.5.2	Journal articles	18
1.5.3	Conference papers	19
1.6	Structure of the thesis	20
2	Literature review in exercise biomedicine	22
2.1	Exercise metabolism	22
2.2	Human cardiorespiratory responses to exercise	24
2.2.1	Indicators of cardiorespiratory fitness	24
2.2.1.1	Electrocardiogram	24
2.2.1.2	Blood pressure	26
2.2.1.3	Cardiac output	27
2.2.1.4	Respiration rate	28
2.2.1.5	Body temperature	29
2.2.1.6	Plasma glucose concentration	30
2.2.2	Measurement of work and energy expenditure	31
2.2.3	Treadmill	31
2.2.4	Exercise protocol	31
2.2.4.1	Transition from rest to exercise	32

2.2.4.2	Transition from exercise to recovery	33
2.2.4.3	Energy expenditure	34
2.3	Exercise and diseases	35
2.3.1	Cardiac diseases	36
2.3.1.1	Risk factors	36
2.3.1.2	Cardiac patient	40
2.3.1.3	Cardiac rehabilitation	42
2.3.1.4	Cardiac rehabilitation in biomedical applications	43
2.3.2	Diabetes	43
2.3.2.1	Exercise and the type 2 diabetic	44
2.3.2.2	Diabetics in biomedical applications	47
2.3.3	Hypertension	47
2.3.3.1	Exercise and hypertension	47
2.3.3.2	Exercise prescription for hypertensive patients	49
2.3.3.3	Hypertension in Biomedical Applications	50
2.4	Conclusion	51
3	A single-input single-output switching model for human cardiorespiratory responses to the onset and offset of exercise	53
3.1	Introduction	53
3.2	Experiment	55
3.3	Mathematic model for body's cardiorespiratory responses to exercise	59
3.3.1	Metabolic energy process	59
3.3.2	The proposed switching RC model	61
3.3.3	Model verification	67
3.4	Conclusion	69
4	An nonlinear modeling method using support vector machine for cardiorespiratory responses to exercise	70
4.1	Introduction	71
4.2	SVM Regression	73

4.3	Experiment	76
4.4	Data analysis and discussion	78
4.5	Conclusion	81
5	A machine learning based control method for human cardiorespiratory responses to exercise	86
5.1	Introduction	86
5.2	Background	89
5.2.1	Model-based predictive control (MPC)	89
5.2.1.1	Brief introduction for MPC	89
5.2.1.2	MPC structure	90
5.2.1.3	MPC control strategy	92
5.2.2	Dynamic matrix control (DMC)	93
5.2.3	Programming approach in <i>C</i> language for DMC	97
5.2.4	Formulation of tuning DMC parameters	100
5.3	Control methodologies design	102
5.3.1	Discrete Time Model	102
5.3.2	Switching control method	103
5.3.3	Demonstration of tuned DMC parameters for control system of cardiorespiratory responses to exercise	106
5.3.4	Simulation	108
5.3.4.1	Simulation for double nonlinear model predictive switching control of cardiorespiratory responses to exercise	108
5.3.4.2	Experiment for a single nonlinear model control of cardiorespiratory responses to exercise	109
5.4	Conclusion	111
6	Multi-loop integral controllability analysis for nonlinear two-input single-output processes and its application to cardiorespiratory regulation for treadmill exercise	113
6.1	Introduction	113
6.2	Multi-loop integral controllability	115
6.2.1	Multi-loop integral controllability analysis for HR response	115

6.2.2	Experiments	122
6.2.3	Illustrative simulation study	124
6.3	Conclusion	128
7	Multi-loop integral controllability analysis for nonlinear multiple-input single-output processes	129
7.1	Introduction	129
7.2	Multi-loop integral controllability (MIC) and its sufficient conditions . . .	131
7.3	Illustrative example	138
7.4	Conclusion	141
8	A future direction for outdoor exercise regulations	142
8.1	Introduction	142
8.2	Methods	143
8.2.1	Modeling of human cardiorespiratory responses during indoor tread-mill exercises	143
8.2.2	Modeling of human cardiorespiratory responses for outdoor exercises	145
8.2.3	Regulation of human cardiorespiratory responses during outdoor exercises	146
8.3	Application simulation	146
8.4	Conclusion	147
9	Conclusion and future work	148
A	Appendix	153
	Bibliography	155
	Index	175

List of Figures

1.1	A. V. Hill's hypothesis for energy metabolism during light to moderate exercise and recovery.	12
1.2	Monitoring equipment for ECG and VO_2 during treadmill exercise. [118]	17
2.1	The normal ECG during rest.	25
2.2	Depression of the <i>ST</i> segment of the electrocardiogram as a result of myocardial ischemia (left: normal right: ischemia). [118]	26
2.3	Factors that regulate Q (variables that stimulate Q are shown by solid arrows, while factors that reduce Q are shown by dotted arrows). [118] .	27
2.4	Changes in metabolic energy production, evaporative heat loss, convective heat loss, and radiative heat loss during 25 minutes of submaximal exercise in a cool environment. [118]	30
2.5	Changes in Q, SV, and HR during the transition from rest to submaximal constant intensity exercise and during recovery. [118]	33
2.6	Web of causation: an epidemiologic model showing the complex interaction of risk factors associated with development of chronic degenerative disease such as cardiovascular disease.	37
2.7	Coronary atherosclerosis disease. A coronary artery bypass graft (CABG) creates a new 'transportation route' around the blocked region to allow the required blood flow to deliver oxygen and nutrients to the previously 'starved' surrounding heart muscle. The saphenous vein from the leg is the most commonly used bypass vessel. CABG involves sewing the graft vessels to the coronary arteries beyond the narrowing or blockage, with the other end of the vein attached to the aorta. Medications (statins) lower total and LDL-cholesterol, and daily low-dose aspirin (81 mg) reduces post-CABG artery narrowing beyond the insertion site of the graft. Repeat CABG surgical mortality averages 5 to 10%.	38
2.8	Percentage of U.S. population at risk for recognized risk factors related to coronary heart disease and risk ratio for each risk factor.	40
2.9	Percentage (%) of diabetes (20-79 years) by IDF region, 2011 and 2030. .	45
3.1	The exercise protocols for group A (left) and group B (right).	56

3.2	The wearable K4b ² Gas analyzer equipment for indoor and outdoor exercises.	57
3.3	The measured experimental data for HR and VO ₂ responses for both groups of A and B.	58
3.4	(A). The mathematic model for the HR response at onset and offset of exercise; (B). the onset circuit; (C-1). the offset circuit C-1; (C-2). the offset circuit C-2 (C_1 : HR indication, C_2 : non-exercise energy compensation index, R_1 : exercise resistance for onset of exercise, R_2 : exercise resistance related to offset of exercise, and R_3 : exercise resistance related to long-term recovery exercise).	61
3.5	(A). Voltage variations in C_1 ; (B). voltage variations in C_2	63
3.6	The simulated schematic diagram.	67
3.7	The model outputs vs. the experiment results for both HR and VO ₂ responses at onset and offset of exercise for subjects in group A and B. .	68
4.1	The parameters used in (one-dimension) Support Vector Regression. . .	75
4.2	Experiment protocol.	76
4.3	Accelerations of three axes provided by the Micro IMU.	77
4.4	Roll, pitch and yaw angles provided by the Micro IMU.	78
4.5	Experimental scenario.	79
4.6	Original ECG signal.	80
4.7	The recording of SpO_2	81
4.8	A measured HR step response signal.	82
4.9	A typical curve fitting result.	83
4.10	SVM regression results for time constant at the onset of exercise.	83
4.11	SVM regression results for time constant at the offset of exercise.	84
4.12	SVM regression results for DC gain at the onset of exercise.	84
4.13	SVM regression results for DC gain at the offset of exercise.	85
5.1	The ‘moving horizon’ concept of model predictive control [47].	88
5.2	Structure of Model Predictive Control.	91
5.3	Structure of Model Predictive Control.	92
5.4	Block Diagram for Double Model Predictive Switching Control System. .	104

5.5	Simulation results for machine learning based double nonlinear model predictive switching control for CR response to exercise with all tuning parameters (I).	108
5.6	Simulation results added noise for machine learning based double nonlinear model predictive switching control for CR response to exercise with all tuning parameters.	109
5.7	Simulation results for machine learning based double nonlinear model predictive switching control for CR response to exercise with all tuning parameters (II).	110
5.8	Simulation results for machine learning based single onset nonlinear model predictive control.	110
5.9	Simulation results for machine learning based single offset nonlinear model predictive control.	111
6.1	MIC for a 2ISO system.	116
6.2	The experiment environment.	123
6.3	The 2ISO Hammerstein system.	125
6.4	Steady state response of HR.	126
6.5	The function $u'_1 = \phi(u'_2)$	127
6.6	Simulation results.	127
7.1	MIC for a MISO system.	131
7.2	Open loop block diagram of a pilot temperature control system.	138
7.3	Experimental results.	140
8.1	Experimental hardware: Zephyr Bluetooth HR chest strap.	144
8.2	Experimental software: Android-based real-time HR measurement and regulation system.	144
8.3	Measured experiment data (HR) followed by the onset and offset exercise protocol.	145
8.4	The developed Android-based outdoor exercise regulation system test. . .	147

List of Tables

2.1	Summary of the differences between Type 1 and Type 2 diabetes.	45
2.2	Definition and classification of BP levels (mmHg) [59].	48
2.3	Exercise prescription to hypertensive patients based on health status and age [106].	50
3.1	Subject physical characteristics.	56
3.2	The mean and STD results of T and K of the experiment results for the HR and VO_2 responses at onset and offset of exercise.	59
3.3	Tuning parameters for switching RC model for both HR and VO_2 responses at onset and offset of exercise for subjects in group A and B. . .	69
4.1	The Values of Walking Speed V_a and V_b	76
4.2	The identified time constants and steady state gains by using averaged data.	79
5.1	The identified time constants and steady state gains by using averaged data.	98
5.2	Tuning Parameters for DMC Control System of Cardio-respiratory Response to Exercise.	106
5.3	Tuning model horizon (N) for HR response at onset and offset of exercise.	107
6.1	Subjects Characteristics.	123
6.2	HR response at steady state.	124